


Fairview Specialty Pharmacy Outcomes in Cystic Fibrosis





Superior Medication Adherence...

Cystic Fibrosis (CF) patients at Fairview Specialty Pharmacy from 2015-2016 had a higher average medication possession ratio (MPR).



And Tailored Strategies...

In coordination with CF clinics, Fairview Specialty Pharmacy provides comprehensive clinical and patient support services designed to address the complex needs of patients:

 <p>CF clinical pharmacists, clinic liaisons, specialty care coordinators and patient financial advocates dedicated to comprehensive pharmacy care for each patient.</p>	 <p>A CF therapy management program that provides ongoing counseling and clinical assessments to help patients stay on track with therapy.</p>	 <p>Patient support services including benefits investigation, prior authorization, refill management and help locating financial assistance if needed.</p>	 <p>On-site pharmacists at the Minnesota CF Center who interface with patients and the care team.</p>
---	---	--	--

Improve Outcomes and Reduce Costs

CF patients at Fairview Specialty Pharmacy experienced a reduction in hospitalizations ¹.



About Fairview Specialty Pharmacy


Fairview Specialty Pharmacy is committed to providing exceptional care as we empower patients to engage in their therapy and receive the most value from specialty medications. For more information visit fairviewspecialtyrx.org.

¹ Total number of patients experiencing a hospitalization during the 12 months prior to starting pharmacy services compared to the 12 months following.

² Quittner, A.L., Zhang, J., Marynchenko, M., Chopra, P.A., Signorovitch, J., Yushkina, Y., & Riekert, K. (2014). Pulmonary Medication Adherence and Health-care Use in Cystic Fibrosis. CHEST, 146(1): 142-151. doi:10.1378/chest.13-1926

Adherence by Medication

CF patients at Fairview Specialty Pharmacy are more likely to take their medications as prescribed.



MPR Measurement

Adherence measurement in patients with CF can be challenging due to complex treatment regimens and varying medication administration patterns.

A study in *Chest*² utilized an approach which addresses these issues. Applying these methods, we found that CF patients using Fairview Specialty Pharmacy had much higher adherence than patients in the comparison study.